





GRAB BARS - CONCEALED MOUNT

FEATURES



- › 304 STAINLESS STEEL CONSTRUCTION
- › 19 GAUGE BAR TUBE
- › 23 GAUGE FLANGE COVERS
- › MAXIMUM WEIGHT LOAD 250 lbs (113 kg)
- › MOUNTING HARDWARE INCLUDED
- › IN COMPLIANCE WITH ANSI 117.1 & CSA-B651-18



1-1/4" DIAMETER GRAB BAR



1-1/2" DIAMETER GRAB BAR



MEASUREMENTS SUBJECT TO A 3% VARIANCE
MEASUREMENTS ARE FOR REFERENCE ONLY. TAYMOR RESERVES THE RIGHT TO CHANGE THE PRODUCT SPECS WITHOUT NOTICE. FOR PRODUCT WARRANTY, PLEASE VISIT TAYMOR WEBSITE FOR DETAILS

STAINLESS STEEL SMOOTH CONCEALED MOUNT GRAB BARS

1-1/4" DIAMETER, 18 GAUGE - GRAB BAR - BUILDER PACK	SATIN STAINLESS STEEL 32D	CASE QTY
1-1/4" x 12" [32 mm x 305 mm] SMOOTH GRAB BAR	01-C220012	10
1-1/4" x 18" [32 mm x 457 mm] SMOOTH GRAB BAR	01-C220018	10
1-1/4" x 24" [32 mm x 610 mm] SMOOTH GRAB BAR	01-C220024	10
1-1/4" x 36" [32 mm x 914 mm] SMOOTH GRAB BAR	01-C220036	10
1-1/4" x 42" [32 mm x 1067 mm] SMOOTH GRAB BAR	01-C220042	10

1-1/2" DIAMETER, 18 GAUGE - GRAB BAR - BUILDER PACK	SATIN STAINLESS STEEL 32D	MATTE BLACK 19	CASE QTY
1-1/2" x 12" [38 mm x 305 mm] SMOOTH GRAB BAR	01-C230012	01-C230012BLK	10
1-1/2" x 18" [38 mm x 457 mm] SMOOTH GRAB BAR	01-C230018	01-C230018BLK	10
1-1/2" x 24" [38 mm x 610 mm] SMOOTH GRAB BAR	01-C230024	01-C230024BLK	10
1-1/2" x 30" [38 mm x 762 mm] SMOOTH GRAB BAR	01-C230030	-	10
1-1/2" x 36" [38 mm x 914 mm] SMOOTH GRAB BAR	01-C230036	01-C230036BLK	10
1-1/2" x 42" [38 mm x 1067 mm] SMOOTH GRAB BAR	01-C230042	01-C230042BLK	10
1-1/2" x 48" [38 mm x 1219 mm] SMOOTH GRAB BAR	01-C230048	01-C230048BLK	10


REFER TO BUILDING CODES HAVING JURISDICTION
FOR ALL GRAB BAR COMPLIANCE REQUIREMENTS



90° ANGLED GRAB BAR

FEATURES

- › 304 STAINLESS STEEL CONSTRUCTION
- › MOUNTING HARDWARE INCLUDED
- › DESIGNED TO WITHSTAND A MINIMUM 250 LB (1112 N) VERTICAL OR HORIZONTAL LOAD APPLIED AT ANY POINT ON THE GRAB BAR WHEN PROPERLY INSTALLED
- › IN COMPLIANCE WITH ANSI A117.1-2017 STANDARD FOR ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES



90° ANGLED GRAB BAR 30" X 30" - BUILDER PACK

30" X 30" (762 mm x 762 mm) 1-1/2" O.D.

MATTE BLACK 19

01-TC323030BLK

CASE QTY

10

REFER TO BUILDING CODES HAVING JURISDICTION
FOR ALL GRAB BAR COMPLIANCE REQUIREMENTS





GRAB BARS - PEENED CONCEALED MOUNT

FEATURES

- 304 STAINLESS STEEL CONSTRUCTION
- 18 GAUGE BAR TUBE
- 14 GAUGE FLANGE WITH FULL 360° BEAD WELD
- MAXIMUM WEIGHT LOAD 250-300 lbs (113-136 kg)
- MOUNTING HARDWARE INCLUDED
- IN COMPLIANCE WITH ANSI 117.1 & CSA-B651






CONCEALED MOUNT | PEENED



120° ANGLED
CONCEALED MOUNT | PEENED



90° ANGLED
CONCEALED MOUNT | PEENED



	RETAIL PACK CONCEALED MOUNT PEENED SATIN STAINLESS STEEL 32D	CASE QTY.	BUILDER PACK CONCEALED MOUNT PEENED SATIN STAINLESS STEEL 32D	CASE QTY.
12" GRAB BAR (304 mm) - 1-1/4" (32 mm) O.D.	03-TC220012	3	01-TC220012	5
16" GRAB BAR (406 mm) - 1-1/4" (32 mm) O.D.	03-TC220016	3	-	-
18" GRAB BAR (457 mm) - 1-1/4" (32 mm) O.D.	-	-	01-TC220018	5
24" GRAB BAR (610 mm) - 1-1/4" (32 mm) O.D.	03-TC220024	3	01-TC220024	5
30" GRAB BAR (762 mm) - 1-1/4" (32 mm) O.D.	-	-	01-TC220030	5
36" GRAB BAR (914 mm) - 1-1/4" (32 mm) O.D.	-	-	01-TC220036	5
48" GRAB BAR (1219 mm) - 1-1/4" (32 mm) O.D.	-	-	01-TC220048	5
120° ANGLED GRAB BAR 24" x 24" (610 mm x 610 mm) - 1-1/4" (32 mm) O.D.	-	-	01-TC22120	5
90° ANGLED GRAB BAR 30" x 30" (762 mm x 762 mm) - 1-1/4" (32 mm) O.D.	-	-	01-TC323030	5

REFER TO BUILDING CODES HAVING JURISDICTION
FOR ALL GRAB BAR COMPLIANCE REQUIREMENTS

